

SEQUENCE LISTING

<110> Nuevolution A/S
<120> Encoded molecules by translation (EMT)
<130> P894PC00
<160> 10
<170> PatentIn version 3.1
<210> 1
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> X represents Xn, i.e. n number of any amino acid residues.

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> X represents leucine, isoleucine or valine.

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> X represents Xn, i.e. n number of any amino acid residues.

<220>
<221> MISC_FEATURE
<222> (13)..(13)
<223> X represents any amino acid

<220>
<221> MISC_FEATURE
<222> (4)..(10)
<223> the sequence motif consisting of residues 4-10 may be repeated n times in the structure.

<220>
<221> MISC_FEATURE
<222> (6)..(6)

BEST AVAILABLE COPY

<223> X represents FE-unit

<220>

<221> MISC_FEATURE

<222> (10)..(10)

<223> X represents FE-unit

<220>

<221> MISC_FEATURE

<222> (9)..(9)

<223> X represents a polar residue

<400> 1

Met Cys Xaa Leu Lys Xaa Glu Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 2

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic construct

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> X represents Xn, i.e. n number of any amino acid residues

<220>

<221> MISC_FEATURE

<222> (4)..(10)

<223> the sequence motif consisting of residues 4-10 may be repeated n times in the structure.

<220>

<221> MISC_FEATURE

<222> (11)..(11)

<223> X represents Xn, i.e. n number of any amino acid residues

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> X represents leucine, isoleucine or valine.

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> X represents FE-unit

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> X represents FE-unit

<220>
<221> MISC_FEATURE
<222> (13)..(13)
<223> X represents any amino acid

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> X represents a polar residue

<400> 2

Met Cys Xaa Leu Glu Xaa Lys Xaa Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 3
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> X represents Xn, i.e. n number of any amino acid residues.

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> X represents FE-unit

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> X represents leucine, isoleucine or valine

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> X represents FE-unit

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> X represents a polar residue

<220>
<221> MISC_FEATURE
<222> (4)..(10)
<223> the sequence motif consisting of residues 4-10 may be repeated n times in the structure.

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> X represents Xn, i.e. n number of any amino acid residues.

<220>
<221> MISC_FEATURE
<222> (13)..(13)
<223> X represents any amino acid

<400> 3

Met Cys Xaa Leu Lys Xaa Glu Xaa Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 4
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> MISC_FEATURE
<222> (13)..(13)
<223> X represents any amino acid

<220>

<221> MISC_FEATURE
<222> (11)..(11)
<223> X represents Xn, i.e. n number of any amino acid residues.

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> X represents a polar residue

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> X represents FE-unit

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> X represents FE-unit

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> X represents leucine, isoleucine or valine

<220>
<221> MISC_FEATURE
<222> (4)..(10)
<223> the sequence motif consisting of residues 4-10 may be repeated n times in the structure.

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> X represents Xn, i.e. n number of any amino acid residues.

<400> 4

Met Cys Xaa Leu Glu Xaa Lys Xaa Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 5
<211> 16
<212> DNA
<213> Artificial Sequence

<220>

<223> Synthetic construct

<400> 5

tagtccgaat cccggg

16

<210> 6

<211> 52

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic construct

<400> 6

ccgggatacct gtaatacgcac tcactatagg ctgatcgatt tcagtacgga gg

52

<210> 7

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic construct

<400> 7

cccgggattc ggact

15

<210> 8

<211> 76

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic construct

<400> 8

gcggauuuag cucaguuggg agagcgccag acugaaaauc uggagguccu guguucgauc

60

cacagaauuc gcacca

76

<210> 9

<211> 76

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic construct

<400> 9

gcggauuuag cucaguuggg agagcgccag acucuuaaau uggagguccu guguucgauc

60

cacagaaauuc gcacca

76

<210> 10

<211> 76

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic construct

<220>

<221> misc_feature

<222> (34)..(36)

<223> variable sequence (i.e. anticodon)

<400> 10

gcggauuuag cucaguuggg agagcgccag acunnnnauc uggagguccu guguucgauc

60

cacagaaauuc gcacca

76

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☒ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.